1. AC. 285

Supplement to the "F.M.S. Government Gazette," August 29, 1913

- MOT TO BE TAKEN AWAY

THE MEDICAL REPORT

FOR THE

FEDERATED MALAY STATES,

1912.

RETURN OF THE STATISTICS OF POPULATION OF THE FEDERATED MALAY STATES FOR THE YEAR 1912.

| | Europeans and Eurasians. | Chinese. | Malays. | Tamils. | Others. | Total, |
|--------------------------------|--------------------------------|----------|----------|---------|---------|-----------|
| Number of Inhabitants in 1912 | 6,301 | 449,718 | 434,295 | 186,724 | 4,761 | 1,081,799 |
| ,, Births during the year 1912 | 195 | 4,807 | 17,104 | 3,191 | 140 | 25,427 |
| " Deaths " " " … | 72 | 18,483 | 11,289 | 10,881 | 176 | 40,901 |
| " Immigrants " " … | | | | | | |
| " Emigrants " " … | | | | | | |
| " Inhabitants in " " … | | | | | | |
| Increase | | | <u> </u> | | | |
| Decrease | | | | | | |

METEOROLOGICAL RETURN OF KUALA LUMPUR FOR THE YEAR 1912.

| | | | | Tempe | erature. | | Rain | fall. | Wi | nds. | |
|-----------|-------|----------------|----------------------|----------------|----------------|--------|-------|-------------------|---------------------|--------------------|----------------|
| | | Solar Maximum. | Minimum on Grass. | Shade Maximum. | Shade Minimum. | Range. | Mean. | Amount in Inches. | Degree of Humidity. | General Direction. | Average Force. |
| | | | | | | | | | | | |
| January | ••• | 148.3 | 51.3 | 89.2 | 73.1 | 16.1 | 81.1 | 4.76 | 77 | Calm | |
| February | • • • | 143.2 | 51.4 | 89.2 | 72.5 | 16.7 | 80.8 | 10.50 | 75 | Do. | |
| March | ••• | 143.0 | 52.2 | 91.5 | 72.6 | 18.9 | 82.0 | 6.79 | 72 | Do. | |
| April | ••• | 148.5 | 50.9 | 92.2 | 74.3 | 17.9 | 83.2 | 10.76 | 74 | Do. | |
| May | | 146.2 | 50.4 | 90.0 | 74.5 | 15.5 | 82.2 | 9.01 | 78 | Do. | led. |
| June | | 147.9 | 50.3 | 90.1 | 73.6 | 16.5 | 81.8 | 5.24 | 75 | Do. | ecorć |
| July | | 148.8 | 50.1 | 90.7 | 73.5 | 17.2 | 82.1 | 4.64 | 76 | Do. | Not recorded |
| August | ••• | 140.1 | 49.6 | 90.0 | 72.6 | 17.4 | 81.3 | 2.60 | 79 | Do. | A |
| September | ••• | 139.6 | 49.4 | 90.5 | 73.1 | 17.4 | 81.8 | 3.35 | 78 | Do. | |
| October | | 148.6 | 50.0 | 87.3 | 71.5 | 15.8 | 79.4 | 14.26 | 79 | Do. | |
| November | ••• | 142.3 | 50.3 | 87.2 | 70.9 | 16.3 | 79.0 | 8.97 | 82 | S.W. | |
| December | ••• | 145.5 | 50.2 | 87.7 | 71.6 | 16.1 | 79.6 | 11.95 | 80 | Calm | |
| | | | | | | | | 7 78 | 77 | Calm | |



RETURN OF DISEASES AND DEATHS IN 1912 AT THE FOLLOWING INSTITUTIONS:

HOSPITALS IN PERAK, SELANGOR, NEGRI SEMBILAN AND PAHANG.

| HOSPITA | ALS IN | PERA | AK, SELA | LNGO | | I SEMBII | AN AND | PAHANO | 1 . |
|--------------------|-----------|-------|----------|-------|--|-------------|----------|------------------------------|----------------------------------|
| | Diseases | | | | *Remaining in Hospital at end of 1911. | Yearly | y Total. | † Total Cases Treated. | aining spital id of |
| | Discuses | • | | | *Rem in Ho at er | Admissions. | Deaths. | † Total Cases Treated | #Remaining in Hospital at end of |
| INFECT | IVE DIS | SEA | SES. | | | | | | |
| Cerebrospinal feve | er | ••• | ••• | ••• | 2 | ••• | ••• | 2 | |
| Chicken-pox | ••• | | ••• | | 2 | 40 | | 42 | 3 |
| Cholera | ••• | • • • | | | ••• | 3 | 2 | 3 | ••• |
| " nœtias | | | | | • • • | 2 | 2 | 2 | |
| Dengue | 244 | ••• | ••• | • • • | 4 | 53 | 1 | 57 | |
| Diphtheria | ••• | | • • • | • • • | • • • | 1 | | 1 | • • • |
| Dysentery | ••• | | ••• | • • • | 397 | 5,818 | 1,699 | 6,215 | 300 |
| Enteric fever | | • • • | ••• | • • • | ••• | 66 | 20 | 66 | 10 |
| Erysipelas | | • • • | • • • | ••• | 5 | 69 | 9 | 74 | 2 |
| Gonorrhea | | | • • • | | 47 | 1,053 | 6 | 1,100 | 48 |
| Gonorrheal rheur | natism | | | | 20 | 535 | 11 | 555 | 43 |
| Gonorrheal conju | nctivitis | | | • • • | 6 | 93 | 1 | 99 | 5 |
| Hydrophobia | • • • | • • • | | | | 2 | | 2 | |
| Influenza | ••• | | • • • | • • • | | 2 | | 2 | |
| Leprosy | ••• | | ••• | . • • | 512 | 374 | 139 | 886 | 547 |
| Madura disease | | | ••• | • • • | ••• | 3 | ••• | 3 | * * * |
| Malaria— | | | | | | | | | |
| (a) Benign tert | ian | | • • • | • • • | 180 | 4,902 | 108 | 5,082 | 175 |
| (b) Quartan | | | | | 52 | 1,000 | 47 | 1,052 | 38 |
| (c) Malignant | tertian | | | | 396 | 12,129 | 1,136 | 12,525 | 407 |
| (d) Mixed infe | etion | | • • • | | 6 | 520 | 68 | 526 | 16 |
| Type undia | gnosed | | • • • | | 240 | 9,028 | 342 | 9,268 | 213 |
| (f) Malarial ca | achexia | | ••• | | 47 | 1,615 | 109 | 1,662 | 74 |
| (g) Blackwater | fever | | • • • | | | 14 | 3 | 14 | • • • |
| Measles | ••• | | • • • | | * * * | 30 | ••• | 30 | 2 |
| Mumps | | ••• | | ••• | 2 | 44 | 2 | 46 | 2 |
| Phagedæna | | | | | 11 | 91 | 20 | 102 | 11 |
| Plague | ••• | | | ••• | ••• | 5 | 3 | 5 | |
| Pneumonia | ••• | | ••• | ••• | 34 | 1,257 | 562 | 1,291 | 63 |
| | Car | ried | forward | | 1,963 | 38,749 | 4,290 | 40,712 | 1,959 |

^{*} i.e., the year previous to that for which the Return is made.

110851

^{† &}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

[#] The figures in this column to be carried on to the next year's Return.

| Di | iseases. | - | | | * Remaining in Hospital at end of 1911. | Yearly Admis- | | + Total Cases Treated. | ‡Remaining in Hospital at end of 1912. |
|--------------------------------|------------|-----------|----------|--------|--|---------------|---------|------------------------------|--|
| | | | | | *Re in I | sions. | Deaths. | + 1 | in st |
| | | | orward | | 1,963 | 38,749 | 4,290 | 40,712 | 1,959 |
| INFECTIVE I Pyæmia | JISEAS | SES- | -(cont.) | | 1 | 11 | 9 | 12 | 2 |
| Pyrexia of uncertain | origin | • • • | | | | 5 | 2 | 5 | |
| Rheumatism | | | ••• | | 107 | 990 | 9 | 1,097 | 58 |
| Septicæmia | | ••• | | | | 31 | 29 | 31 | |
| Small-pox | | • • • | ••• | • • • | • • • | 2 | 1 | 2 | 1 |
| Syphilis— | | | | | | | | | |
| (a) Primary | ••• | ••• | | | 30 | 687 | 4 | 717 | 47 |
| (b) Secondary | • • • | ••• | • • • | | 160 | 2,737 | 78 | 2,897 | 224 |
| (c) Tertiary | ••• | | | | 24 | 254 | 19 | 278 | 35 |
| (d) Inherited | • • • | ••• | • • • | ••• | 1 | 27 | • • • | 28]] | 3 |
| Tetanus | | • • • | | | 4 | 44 | 7 | 48 | 5 |
| Tuberculosis— | | | | | | | | | |
| (a) General | | | • • • | ••• | | 54 | 14 | 54 | 6 |
| (b) Phthisis | • • • | • • • | | | 117 | 1,738 | 908 | 1,855 | 128 |
| Whooping cough | • • • | • • • | • • • | | • • • | 5 | 1 | 5 | |
| Yaws | • • • | • • • | 1 0 0 | | 9 | 80 | ••• | 89 | 2 |
| Other infective disea | ıses | • • • | • • • | | 1 | 2 | • • • | 3 | |
| INTOX | ICATI | ONS. | | | | | | | |
| Alcoholism | ••• | ••• | 4 * * | ••• | ••• | 55 | 1 | 55 | 1 |
| Mercury, chronic po | isoning | by | • • • | ••• | ••• | 14 | 1 | 14 | |
| Morphinism | | • • • | | ••• | ••• | 35 | 2 | 35 | |
| Other intoxications | ODO N | (OT I | | TT | ••• | 4 | 2 | 4 | |
| GENERAL DISEA IN THE TWO PR | | | | | | | | | |
| Anæmia | | | • • • | | 71 | 656 | 94 | 727 | 33 |
| Beri-beri | | | | ••• | 664 | 5,012 | 657 | 5,676 | 675 |
| Diabetes | • • • | • • • | ••• | ••• | | 19 | 2 | 19 | 1 |
| Gout | * * * | ••• | ••• | • • • | | | | | |
| Leucocythæmia | | • • • | ••• | | | | | | |
| Starvation | • • • | | | • • • | ••• | 1 | 1 | 1 | |
| Lymphadenoma | • • • | | • • • | • • • | ••• | 5 | 2 | 5 | |
| | Car | ried f | orward | ••• | 3,152 | 51,217 | 6,133 | 54,369 | 3,180 |

^{*} i.e., the year previous to that for which the Return is made.

^{† &}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

[‡] The figures in this column to be carried on to the next year's Return.

| | Diseases. | | | * Remaining in Hospital at end of 1911. | Yearly | Total. | † Total Cases Treated. | ‡ Remaining in Hospital at end of 1912. | |
|---------------------------|---------------------------------------|---------|-------|---|-------------|---------|------------------------------|---|--|
| | Diseases. | | | * Rem in HG at e1 | Admissions. | Deaths. | t Te | # Remaini in Hospit at end c | |
| | Brought | forward | ••• | 3,152 | 51,217 | 6,133 | 54,369 | 3,180 | |
| | ASES NOT VO PRECE JPS—(cont.) | DING | DED | | | | | | |
| Osteo-arthritis | | | • • • | 1 | 2 | • • • | 3 | | |
| Debility | ••• | | | 10 | 287 | 57 | 297 | 21 | |
| Other general disea | ses | | ••• | 32 | 395 | 64 | 427 | 34 | |
| CERTAIN MO INCIDENT TO | RBID CON VARIOUS | | | | | | | | |
| Malformations | | ••• | | 8 | 19 | 2 | 27 | 9 | |
| New growth, non-n | nalignant | • • • | | 4 | 58 | 1 | 62 | 3 | |
| " maligr | nant | | | 15 | 114 | 43 | 129 | 9 | |
| Cyst | | | ••• | • • • | 14 | | 14 | 1 | |
| Other morbid cond | itions | *** | ••• | 1 | 4 | | 5 | 1 | |
| DISEASES C | F THE NE | ervous | 5 | | | | | | |
| | NERVES. | | | 11 | 150 | | 169 | 19 | |
| Neuritis | *** | * * * | • • • | 11 | 158 | 5 | | 13 | |
| Multiple neuritis | · · · · · · · · · · · · · · · · · · · | ••• | ••• | ••• | 5 | | 5 | 2 | |
| Other diseases of the | | ••• | • • • | 4 | 41 | 4 | 45 | 1 | |
| Spinal Cori Meningitis | D AND MEM | BRANES. | ••• | 2 | 5 | 4 | 7 | | |
| Myelitis | | | ••• | $\frac{1}{2}$ | 15 | 5 | 17 | $\frac{1}{2}$ | |
| Primary lateral scl | | | • • • | 1 | 1 | | 2 | _ | |
| Locomotor ataxia | | ••• | • • • | 4 | 34 | 3 | 38 | 12 | |
| Insular sclerosis | | | | | 1 | | 1 | | |
| Other diseases of sp | | | | | 14 | 5 | 14 | 3 | |
| Ī | ND MEMBRA | | | ••• | | | | | |
| Meningitis | ••• | • • • | | 2 | 21 | 19 | 23 | 1 | |
| Hæmorrhage | | | | • • • | 19 | 13 | 19 | 3 | |
| Abscess | ••• | | • • • | • • • | 3 | 3 | 3 | | |
| Hydrocephałus | | | | | | | | 1 | |
| Other diseases of b | rain and me | mbranes | | 1 | 23 | 9 | 24 | 1 | |
| | Carried | forward | | 3,250 | 52,450 | 6,370 | 55,700 | 3,296 | |
| | | | | 1 | | | 1 | | |

^{*} i.e., the year previous to that for which the Return is made.

^{† &}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year

[‡] The figures in this column to be carried on to the next year's Return.

| | | • | | | | maining Hospital nd of 1911. | Yearly | Total. | otal ses ated. | uining spital d of 12. |
|---------------|----------|--------|-----------|---------|-------|--|------------------|---------|------------------------------|---|
| | D | isease | :S. | | | *Remaining in Hospital at end of 1911. | Admis- sions. | Deaths. | † Total Cases Treated. | ‡Remaining in Hospital at end of 1912. |
| | | I | Brought j | forward | | 3,250 | 52,450 | 6,370 | 55,700 | 3,296 |
| N | ERVOU | s Dis | SORDERS | | | | | | | |
| Senility | | ••• | | • • • | | 4 | ••• | • • | . 4 | 4 |
| Apoplexy | | | ••• | | | ••• | 4 | 4 | 4 | |
| Paraplegia | | | | | | 14 | 58 | 19 | 72 | 14 |
| Hemiplegia | | ••• | ••• | . • • | | 38 | 173 | 33 | 211 | 55 |
| Monoplegia | | | ••• | | | | 2 | ••• | 2 | 1 |
| Chorea | | | p < | • • • | • • • | 1 | 3 | ••• | 4 | 2 |
| Convulsions | • • • | | | ••• | ••• | | 6 | 3 | 6 | |
| Epilepsy | | | | | | 4 | 55 | 10 | 59 | 3 |
| Neuralgia | • • • | | ••• | ••• | | 3 | 112 | 1 | 115 | 4 |
| Hysteria | | ••• | | ••• | | • • • | 5 | • • • | 5 | |
| Neurasthenia | b | | • • • | ••• | | | 7 | • • • | 7 | |
| Paralysis | | | • • • | | | 4 | | | 4 | 4 |
| Other nervou | ıs disor | ders | ••• | | | 25 | 91 | 17 | 116 | 11 |
| | MENTA | ı Dı | SEASES. | | | | | | | |
| Idiocy | ••• | | ••• | | ••• | 20 | 24 | 5 | 44 | 21 |
| Mania | | ••• | • • • | ••• | • • • | 83 | 149 | . 17 | 232 | 113 |
| Melancholia | • • • | • • • | ••• | | | 114 | 151 | 30 | 265 | 154 |
| Delusional in | sanity | | | ••• | ••• | 76 | 68 | 11 | 144 | 79 |
| General para | lysis of | the i | nsane | | | 1 | 14 | 10 | 15 | 5 |
| Dementia | | ••• | ••• | • • • | | 13 | 51 | 9 | 64 | 35 |
| Other mental | l diseas | es | ••• | • 7 • | | 10 | 46 | 5 | 56 | 45 |
| DISI | EASES | OF | THE E | EYE. | | | | | | |
| Conjunctiviti | is . | ••• | ••• | ••• | ••• | 10 | 396 | 3 | 406 | 18 |
| Trachoma | ••• | ••• | ••• | | ••• | 1 | 26 | *** | 27 | 2 |
| Keratitis | | • • • | ••• | ••• | • • • | 4 | 39 | ••• | 43 | 4. |
| Ulcer of corr | ıea | ••• | • • • | ••• | • • • | 28 | 278 | 4 | 306 | 21 |
| Opacity of co | ornea | ••• | | | ••• | 2 | 30 | | 32 | 2 |
| Staphyloma | • • • | ••• | * * * | ••• | ••• | 10 | 33 | | 43 | 15 |
| Iritis | • • • | | ••• | ••• | | 15 | 107 | 2 | 122 | 8 |
| Glaucoma | ••• | ••• | | | ••• | 1 | 5 | | 6 | |
| | | 6 | Tarried f | orward | | 3,731 | 54,383 | 6,553 | 58,114 | 3,916 |

^{*} i.e., the year previous to that for which the Return is made.

† "Total cases treated" will, of course, include those remaining in Hospital at the end of the previous $\mathbf{year.} \cdot$

[‡] The figures in this column to be carried on to the next year's Return.

| | | | | | ining pital l of | Yearly | Total. | al ss ed. | ining pital d of |
|----------------------|----------|--------|---------|-------|---|------------------|---------|--|--|
| . D | iseases. | | | | * Remaining in Hospital at end of 1911. | Admis- sions. | Deaths. | † Total Cases Treated | #Remaining in Hospital at end of 1912. |
| | Bro | ught j | forward | ••• | 3,731 | 54,383 | 6,553 | 58,114 | 3,916 |
| DISEASES OF | THE | EYI | E-(cont | .) | | | | | |
| Hypopyon | ••• | • • • | ••• | | 1 | 7 | * * * | 8 | 1 |
| Optic neuritis | ••• | ••• | ••• | ••• | 5 | 4 | * * * | 9 | 3 |
| Optic atrophy | ••• | ••• | | • • • | 4. | 1 6 | • • • | 20 | 8 |
| Cataract | ••• | • • • | ••• | | 31 | 98 | 3 | 129 | 39 |
| Panophthalmitis | • • • | • • • | ••• | • • • | 36 | 29 | 4 | 65 | 35 |
| Amblyopia and ama | urosis | ••• | • • • | • • • | 6 | 9 | , | 15 | 6 |
| Errors in refraction | ••• | ••• | | | • • • | 4 | ••• | 4 | |
| Blepharitis | • • • | | | • • • | 2 | 5 | | 7 | |
| Entropion | ••• | • • • | | | 6 | 65 | 2 | 71 | 4. |
| Other eye diseases | ••• | | • • • | | 14 | 54 | 2 | 68 | 8 |
| DISEASES | OF T | HE | EAR. | | 1 | | | | |
| Inflammation | ••• | ••• | *** | • • • | ••• | 30 | 1 | 30 | |
| Other ear diseases | | • • • | • • • | | 3 | 97 | 3 | 100 | 3 |
| DISEASES | OF T | HE I | NOSE. | | | | | | 4 |
| Inflammation | ••• | • • • | ••• | • • • | • • • | 7 | • • • | 7 | |
| Other nose diseases | • • • | ••• | ••• | | 1 | 11 | • • • | 12 | |
| DISEASES OF | THE (| | ULATO | RY | | | | | |
| Pericarditis | | ••• | • • • | • • • | ••• | 12 | 9 | 12 | |
| Endocarditis | ••• | • • • | | ••• | ••• | 2 | 1 | 2 | |
| Valvular disease | ••• | ••• | | • • • | 10 | 272 | 105 | 282 | 21 |
| Myocarditis | | ••• | | | | | | e, demand of the control of the cont | |
| Dilatation of heart | • • • | ••• | • • • | | • • • | 33 | 8 | 33 | 3 |
| Syncope | • • • | | | | | 8 | 5 | 8 | |
| Disordered action o | f heart | | | ••• | | 8 | 1 | 8 | 2 |
| Aneurysm | | | ••• | | 1 | 12 | 8 | 13 | 1 |
| Phlebitis | ••• | | • • • | | | 6 | ••• | 6 | 1 |
| Thrombosis | ••• | ••• | a # 4 | | 1 | 16 | 1 | 17 | |
| Varix | ••• | • • • | ••• | . • • | | 2 | ••• | 2 | |
| Other diseases of th | | | | . • • | .1 | 38 | 5 | 39 | 3 |
| | | | forward | ••• | 3,853 | 55,228 | 6,711 | 59,081 | 4,054 |
| | | | | | 1 | | 1 | | |

^{*} i.c., the year previous to that for which the Return is made.

^{† &}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

[†] The figures in this column to be carried on to the next year's Return.

| | | | | | ming spital d of | Yearly | Total. | al ss ed. | aining pital nd of |
|------------------------|------------|--------------|----------------|-------|--|------------------------|---------|----------------------------|---|
| D | iseases | 5. | | | *Remaining in Hospital at end of 1911. | Admis- sions. | Deaths. | †Total Cases Treated | # Remaining in Hospital at end of 1912. |
| | Bi | ought f | orward | ••• | 3,853 | 55,228 | 6,711 | 59,081 | 4,054 |
| | THE STE | | TRATO | RY | | | | | |
| Asthma | ••• | | | ••• | 14 | 278 | 13 | 292 | 17 |
| Laryngitis | | ••• | | | 1 | 22 | 2 | 23 | 2 |
| Bronchitis | ••• | ••• | | | 59 | 1,415 | 64 | 1,474 | 51 |
| Broncho-pneumonia | • • • | | | | 10 | 34 | 11 | 44 | |
| Gangrene of lung | • • • | • • • | ••• | | ••• | 11 | 10 | 11 | |
| Pleurisy | | | • • • | | 8 | 252 | 30 | 260 | 12 |
| Empyema | • • • | ••• | ••• | | 3 | 76 | 39 | 79 | 3 |
| Other diseases of the | syste | em | | | 3 | 76 | 23 | 79 | 2 |
| | TH | | ESTIV | E | | | | | |
| Stomatitis | | ν 1 . | ••• | • • • | 3 | 56 | 4 | 59 | 1 |
| Ulceration of mouth | | • • • | • • • | | | | | | |
| Gangrene of mouth | | | ••• | ••• | *** | 4 | 2 | 4 | 1 |
| Pyorrhœa alveolaris | • • • | • • • | • • • | • • • | ••• | 17 | 1 | 17 | 1 |
| Caries of tooth | • • • | ••• | • • • | | • • • | 42 | | 42 | |
| Ulceration of tongue | | ••• | | ••• | • • • | 3 | • • • | 3 | |
| Sore throat | | • • • | • • • | | ••• | 12 | 2 | 12 | - |
| Tonsillitis | ••• | ••• | ••• | ••• | | 51 | 5 | 51 | 1 |
| Inflammation of pha | arynx | • • • | • • • | | 3 | 79 | 1 | 82 | 3 |
| Gastritis | ••• | | ••• | | 2 | 110 | 5 | 112 | 4 |
| Ulceration of stomac | eh | | ••• | ••• | ••• | 9 | 7 | 9 | 1 |
| Dyspepsia | • • • | • • • | ••• | ••• | 10 | 430 | 14 | 440 | 9 |
| Enteritis | ••• | • • • | • • • | • • • | ••• | 19 | 6 | 19 | |
| Appendicitis | ••• | | | • • • | $\frac{1}{2}$ | 40 | 11 | 42 | 5 |
| Colitis | • • • | ••• | • • • | | | 17 | 1 | 17 | |
| Ulceration of intesti | | | | | | 2 | 1 | 2 | |
| Sprue | ••• | | ••• | | 4 | 7 | 1 | 11 | |
| Hernia | ••• | • • • | | ••• | 8 | 103 | 3 | 111 | 9 |
| Intestinal obstruction | | • • • | | | | 11 | 11 | 111 | |
| Diamboo | | | | | 43 | 1,616 | 351 | 1,659 | 74 |
| Diarricea | | | ··· forward | | 4,026 | $\frac{1,010}{60,020}$ | 7,329 | 64,046 | 4,250 |
| | | wrieu j | orwara | • • • | T,UMU | 00,020 | 1,920 | 04,040 | ±, mo0 |

^{*} i.e., the year previous to that for which the Return is made.

† "Total eases treated" will, of course, include those remaining in Hospital at the end of the previous year.

‡ The figures in this column to be carried on to the next year's Return.

| | | | | | ining spital d of 1. | Yearly | Total. | al ss ced. | ining sepital d of 2. |
|-----------------------|-------------|------------|---------|-------|--|------------------|---------|------------------------------|--|
| Dis | seases. | | | | *Remaining in Hospital at end of 1911. | Admis- sions. | Deaths. | † Total Cases Treated. | #Remaining in Hospital at end of 1912. |
| | Bro | $ught\ fo$ | rward | ••• | 4,026 | €0,020 | 7,329 | 64,046 | 4,250 |
| DISEASES OF SYSTE | | | STIV | Đ | | | | | |
| Constipation | • • : | | 2 * * | ••• | 3 | 464 | 5 | 467 | 6 |
| Colic | | | • • • | ••• | • • • | 144 | 1 | 144 | |
| Ischio-rectal abscess | ••• | | ••• | | ••• | 30 | | 30 | 4 |
| Ulcer of anus | ••• | ••• | ••• | ••• | ••• | 9 | 1 | 9 | |
| Fissure of anus | ••• | | | ••• | | 14 | | 14 | 1 |
| Fistula in ano | • • • | | • • • | • • • | 3 | 78 | | 81 | 1 |
| Hemorrhoids | ••• | | • • • | | 5 | 169 | • • • | 174 | 9 |
| Hepatitis | ••• | ••• | • • • | ••• | 3 | 61 | 3 | 64 | 1 |
| Abscess of liver | • • • | ••• | | • > • | 3 | 33 | 22 | 36 | |
| Cirrhosis of liver | ••• | | • • • | ••• | 34 | 330 | 168 | 364 | 26 |
| Congestion of liver | ••• | | ••• | ••• | ••• | 8 | • • • | 8 | |
| Jaundice | | | ••• | | 6 | 91 | 16 | 97 | 5 |
| Gall stones | | | ••• | ••• | ••• | 4 | 4 | 4 | |
| Peritonitis | | ••• | • • • | ••• | 1 | 54 | 47 | 55 | 1 |
| Ascites of unknown of | origin | • • • | ••• | | 11 | 96 | 32 | 107 | 8 |
| Cancer of Jaw | • • • | | ••• | | , | 1 | 0 + 3 | 1 | 1 |
| Other diseases of the | e syste | m | ••• | | 1 | 149 | 18 | 150 | 3 |
| DISEASES OF | THE STEM | | PHAT | 'IC | | | | | |
| Spleen, inflammation | ι | ••• | • • • | | 38 | 386 | 9 | 424 | 26 |
| Spleen, rupture | | | ••• | | | 9 | 6 | 9 | |
| Bubo | | | ••• | ••• | 41 | 902 | 7 | 943 | 50 |
| Suppuration of gland | ls | | | | 1 | 41 | 2 | 42 | 1 |
| Lymphangitis | ••• | | | | 2 | 33 | ••• | 35 | 3 |
| Other diseases of the | e syste: | m | | | 5 | 65 | 3 | 70 | 3 |
| Diseases of the Th | YMUS | | ••• | | | | | | |
| Diseases of the Th | YROID | Вору | | | | | | | |
| Diseases of the Ad | RENA | ւs (Suj | ora-ren | ials) | ••• | 1 | ••• | 1 | |
| | Car | ried jo | orward | ••• | 4,183 | 63,192 | 7,673 | 67,375 | 4,399 |

^{*} i.e., the year previous to that for which the Return is made.

† "Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

‡ The figures in this column to be carried on to the next year's Return.

| | | | | | nining spital id of | Yearly | Total. | tal | spiral of of 2. |
|-----------------------|-------------------|------------|-----------------|-------|--|---------------------|---------------------------------------|------------------------------|--|
| I |)iseases. | | | | *Remaining in Hospital at end of 1911. | Admissions. | Deaths. | † Total Cases Treated. | ### ################################## |
| DISEASES O | F THI | E UR | orword INARY | | 4,183 | 63,192 | 7,673 | 67,375 | 4,399 |
| Acute nephritis | YSTEM | | | | 14 | 235 | 55 | 249 | 18 |
| Chronic do | | ••• | • • • | | | 1 | 1 | 1 | |
| Bright's disease | | ••• | | | 38 | 527 | 148 | 565 | 34 |
| Cystitis | | | | | 2 | 48 | 11 | 50 | 1 |
| Calculus | | | | | 3 | 15 | 2 | 18 | |
| Retention of urine | | ••• | ••• | • | • • • | 28 | | 28 | 1 |
| Incontinence of urin | ne | | ••• | • • • | | 22 | 1 | 22 | |
| Fistula of Kidney | | | ••• | | . • • | 2 | | 2 | |
| Other diseases of the | ie syste: | m | | *** | 4 | 22 | 8 | 26 | |
| DISEASES OF | | | ERATIV | E | | | | | |
| | $YSTEM \ (Male.)$ | -• | | | | | | | |
| Stricture | ••• | • • • | | ••• | 4 | 52 | | 56 | 1 |
| Urethral fistula | ••• | ••• | ••• | ••• | 1 | 22 | 2 | 23 | 1 |
| Extravasation of ur | ine | ••• | | | 1 | 4 | 1 | 5 | 1 |
| Phimosis | | • • • | ••• | | 12 | 207 | 1 | 219 | 15 |
| Iaraphmiosis | ••• | | | | ••• | 3 | · · · · · · · · · · · · · · · · · · · | 3 | |
| Ulcer, penis | *** | | ••• | | 1 | 20 | ••• | 21 | 1 |
| Soft chancre | | ••• | | | 38 | 1,083 | | 1,121 | 62 |
| Scrotum, abscess | | | ••• | | 2 | 37 | 1 | 39 | 6 |
| " sloughing | | • • • | | ••• | 1 | 60 | 9 | 61 | 6 |
| Hydrocele | | • • • | 474 | | 3 | 82 | | 85 | 6 |
| Orchitis | | | | | 5 | 144 | | 149 | 1 |
| Epididymitis | ••• | • • • | ••• | | 1 | 40 | | 41 | |
| Other diseases, mal | le organ | ıs | | | 5 | 103 | 2 | 108 | |
| Metritis | Female. |) | | ••• | 2 | 10 | 1 | 12 | |
| Erosion of cervix | | | | • • • | | 5 | | 5 | 1 |
| Displacements and | | | ••• | | | | | | |
| Vulva, inflammatic | | | • • • | | | 6 | | 6 | |
| n hemae | | | | | ••• | (, | | | |
| uloon | • • • | | • • • | | | 5 | | 5 | |
| ,, uicei | Ca | irried | forward | | 4,320 | $-\frac{3}{65,975}$ | 7,916 | $\frac{3}{70,295}$ | 4,553 |
| | | | | , | 4,040 | 1 00,870 | 7,510 | 10,200 | 4,000 |

^{*} i.e., the year previous to that for which the Return is made.

^{†&}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

[‡] The figures in this column to be carried on to the next year's Return.

| Diag | | | | spital d of 1. | Yearly | y Total. | otal ses vted. | naining ospital and of |
|-------------------------|------------------------|---------|-------|--|-------------|---------------|----------------------------|---|
| Dise | ases. | | | *Remaining in Hospital at end of 1911. | Admissions. | Deaths. | †Total Cases Treated | ‡ Remaining in Hospital at end of 1912. |
| | $Brought_{\mathbb{J}}$ | forward | • • • | 4,320 | 65,975 | 7,916 | 70,295 | 4,553 |
| ${\it Female}$ | (cont.) | | | | | t i | | |
| Vulva, soft chancre | | | | * * * | 24 | | 24 | 1 |
| Other diseases, female | organs | • • • | • • • | 3 | 71 | 4 | - 74 | 3 |
| AFFECTIONS CO | | | | | | | | |
| Natural labour | | | ••• | 1 | 111 | 1 | 112 | 6 |
| Difficult labour | t *** | ••• | ••• | | 27 | 5 | 27 | 2 |
| Abortion | • • • • • | ••• | ••• | • • • | 31 | 1 | 31 | |
| Rupture perineum | | ••• | ••• | • • • | 6 | ••• | 6 | 2 |
| Retention of placenta | ••• | ••• | ••• | • • • | 2 | 1 | 2 | |
| Still birth | • ••• | ••• | ••• | | 5 | • • • | 5 | |
| Premature birth | | ••• | ••• | 1 | 8 | 5 | 9 | |
| Post-partum hæmorrh | age | ••• | ••• | | | | | |
| Puerperal sapræmia | | ••• | ••• | | 8 | 3 | 8 | 1 |
| Other affections | | ••• | ••• | $\frac{1}{2}$ | 32 | 3 | 34 | 1 |
| DISEASES OF THE FEM | ALE BREA | ST | | | | | | |
| DISEASES OF THE MAL | e Breast | ••• | ••• | | | | | |
| DISEASES OF T | | ANS C | F | | | | | |
| Periostitis | | | ••• | 2 | 45 | 3 | 47 | 1 |
| Caries of bones | | ••• | | 8 | 31 | 3 | 39 | 4 |
| Necrosis of bones | | | | 8 | 70 | 9 | 78 | 18 |
| Arthritis | | ••• | | 1 | 116 | 6 | 117 | 4 |
| Synovitis | . | ••• | ••• | 8 | 127 | 9 | 135 | 5 |
| Ankylosis | | | | 3 | 18 | $\frac{1}{2}$ | 21 | 5 |
| Caries of spine | • ••• | ••• | • • • | 2 | 14 | 4. | 16 | |
| Curvature spine | | ••• | • • • | ••• | 5 | | 5 | |
| Myalgia | | ••• | | 2 | 80 | 2 | 82 | |
| Other diseases of organ | s of locor | notion | | 11 | 60 | 9 | 71 | 6 |
| | Carried j | forward | ••• | 4,372 | 66,866 | 7,986 | 71,238 | 4,612 |

^{*} i.e., the year previous to that for which the Return is made.

^{† &}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

[‡] The figures in this column to be carried on to the next year's Return.

| | | | | | | uning spital d of 1. | Yearly | Total. | tal es ted. | aining spital nd of 12. |
|------------------|---------|-------------|----------|---------|---------|--|------------------|---------|------------------------------|--|
| | Dis | eases | | | | *Remaining in Hospital at end of 1911. | Admis- sions. | Deaths. | † Total Cases Treated. | #Remaining in Hospital at end of 1912. |
| | | Br | ought f | orward | ••• | 4,372 | 66,866 | 7,986 | 71,238 | 4,612 |
| DISEASES | | HE SUE | | ECTIV | E | | | | | |
| Cellulitis | | | | ••• | • • • | 10 | 255 | 48 | 265 | 24 |
| Abscess | | • • • | | ••• | | 71 | 1,531 | 47 | 1,602 | 94 |
| Gangrene | | • • • | | ••• | | 5 | 83 | 53 | 88 | 11 |
| Œdema | • | • • • | | | • • • ; | ••• | 20 | 3 | 20 | |
| Other diseases | of the | com | nective | tissue | | 5 | 78 | 5 | 83 | 5 |
| DISEAS | SES C | F T | HE S | KIN. | | | | | | |
| Urticaria | | • • • | | | • • • | ••• | 13 | • • • | 13 | |
| Eczema | | • • • | ••• | | | 13 | 565 | 4 | 578 | 23 |
| Boil | | • • • | • • • | ••• | • • • | 3 | 97 | ••• | 100 | 1 |
| Carbuncle | • | | ••• | | | 8 | 99 | 4 | 107 | 5 |
| Herpes | | • • • | ••• | | | ••• | 30 | | 30 | |
| Herpes zoster | | ••• | • • • | | | 1 | 21 | • • • | 22 | 1 |
| Psoriasis | | • • • | • • • | • • • | | | 14 | ••• | 14 | 1 |
| Ulcer | | | | | | 781 | 11,755 | 137 | 12,536 | 747 |
| Burns and Scal | ds | • • • | | | | • • • | 28 | 3 | 28 | 1 |
| Other skin disea | ases | | | | | 23 | 166 | 1 | 189 | 6 |
| | INJU | JRII | ES. | | | | | | | |
| General | | ••• | • • • | | • • • | 4 | 55 | 24 | 59 | 2 |
| Local— | | | | | | | | | | |
| (a) Wounds | | ••• | • • • | ••• | | 131 | 3,015 | 34 | 3,146 | 103 |
| (b) Sprains | | | | | | 5 | 157 | | 162 | 5 |
| (c) Fracture | s, sim | ple | | | | 30 | 318 | 22 | 348 | 29 |
| (d) ,, | con | apou: | nd | | | 16 | 140 | 27 | 156 | 25 |
| (e) Dislocati | ons | | • • • | | | 6 | 66 | 1 | 72 | 7 |
| (f) Other loo | cal inj | juries | s | | | 35 | 767 | 20 | 802 | 34 |
| | POI | ISON | IS. | | | | | | | |
| Paint | | • • • | • • • | | | | 1 | | 1 | |
| Mercury | | • • • | • • • | | | | 5 | 1 | 5 | |
| Alcohol | | ••• | | | • • • | ••• | 12 | 1 | 12 | |
| | | $C\epsilon$ | arried j | forward | ••• | 5,519 | 86,157 | 8,421 | 91,676 | 5,736 |
| | | | | | | 1 | 1 | | | 1 |

^{*} i.c., the year previous to that for which the Return is made.

† "Total cases treated" will, of course, include those remaining in Hospital at the end of the previous

[‡] The figures in this column to be carried on to the next year's Return.

| Ľ | * Remaining in Hospital at end of 1911. | Yearly Total. | | † Total Cases Treated. | # Remaining in Hospital at end of 1912. | | | | |
|---------------------|---|---------------------|---------|------------------------------|---|--------|-------|--------|-------|
| | | Admissions. Deaths. | | | | | | | |
| | Bre | ought f | orward | | 5,519 | 86,157 | 8,421 | 91,676 | 5,736 |
| POISC |)NS(| cont.) | | | | | | | |
| Belladonna | | | ••• | | | | | | |
| Opium | | ••• | | | | 10 | 2 | 10 | |
| Datura | | | | | | | | | |
| Other poisons | | ••• | | ••• | | 46 | 2 | 46 | |
| PAI | RASIT | ES. | | | | | | | |
| Balantidium coli | | ••• | ••• | | | | | | |
| Other protozoa | | • • • | ••• | ••• | | | | | |
| Schistosomum hæm | atobiu | n | | | | | | | |
| ,, japonicu | n | ••• | * * * | | ••• | 1 | | 1 | |
| Other trematoda | | | • • • | | 1 | | | 1 | |
| Tænia solium | | ••• | | | • • • | 1 | ••• | 1. | |
| ,, saginata | ••• | | • • • | | • • • | 2 | | 2 | |
| " echinococcus | | ••• | | | | | | | |
| Other cestoda | | | | | | | | | |
| Ascaris lumbricoide | es | ••• | | | 9 | 451 | 9 | 460 | 15 |
| Ankylostomiasis | • • • | ••• | | | 141 | 2,344 | 314 | 2,485 | 156 |
| Oxyuris vermicular | is | | | | | 2 | * * * | 2 | |
| Filaria | | | | | 1 | 39 | 1 | 40 | 1 |
| Other nematoda | ••• | | | | 1 | 9 | | 10 | |
| Tinea tonsurans | • • • | | ••• | | | | | 1 | |
| " circinata | • • • | | | | 1 | 94 | 1 | 95 | 4 |
| ,, cruris | ••• | | | * 1 * | | 1 | | 1 | |
| ., imbricata | ••• | | | ••• | | 42 | | 42 | 1 |
| Other vegetable par | asites | ••• | | ••• | | 3 | | 3 | |
| Scabies | | | | | 60 | 1,182 | 3 | 1,242 | 48 |
| Pediculosis | ••• | * * * | • • • | | | 1 | | 1 | |
| Other animal paras | ites | | • • • | | | 11 | | 11 | 2 |
| | Ca | rried | forward | | 5,733 | 90,396 | 8,753 | 96,129 | 5,968 |

^{*} i.e., the year previous to that for which the Return is made.

† "Total cases treated" will, of course, include those remaining in Hospital at the end of the previous

[‡] The figures in this column to be carried on to the next year's Return.

| | Diseases. | | aining spital id of 11. | Yearly Total. | | + Total Cases Treated. | #Remaining in Hospital at end of 1912. |
|-------------------|--------------------|-------|---|------------------|---------|------------------------------|--|
| , | seases. | | * Remaining in Hospital at end of 1911. | Admis- sions. | Deaths. | | |
| | $Brought\ forward$ | ••• | 5,733 | 90,396 | 8,753 | 96,129 | 5,963 |
| SURGICAL | L OPERATIONS. | | | | | | |
| Major— | | | | | | | |
| | | 4 | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 6 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | To the control of the |
| Minor— | | | , | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | (1) | | | - | |
| | | | | | | | |
| | | | | | | | - '* \$'' |
| | | | | | | | |
| | | | 1 | | | | |
| / | | | | - | | | |
| | | | | | | | |
| Under Öbservation | | • • • | | | | | |
| No Discoverable | Disease Total | • • • | 5,733 | 90,396 | 8,753 | 96,129 | 5,963 |
| | Z O TALL | | . 5,1 99 | 00,000 | 0,10,5 | 00,120 | 5,500 |

^{*} i.e. the year previous to that for which the Return is made.

† "Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

‡ The figures in this column to be carried on to the next year's Return.